NOV 2 0 2024



November 18, 2024 Reference No. 24-07

Arizona State Mine Inspector Amanda Lothner, Reclamation Specialist 1700 W. Washington, Suite 403 Phoenix, AZ 85007-2805

Re: Reclamation Plan JDI Pit

Dear Ms. Lothner:

Enclosed please find one original and three copies of the Reclamation and Closure Plan for ConRoc Ready Mix, LLC's Ramon Material Source located in Mohave County, AZ. Also enclosed is the \$3,800 application fee. Public notice has also been conducted as required as outlined in the Affidavit attached. Please feel free to contact me in regards to any questions.

Sincerely,

HIMES CONSULTING, LLC

Jill A. Himes

Cc: Dale Bowles, ConRoc Ready Mix, LLC

3301 W. Genoa Way • Chandler, AZ 85226 • Phone 480.899.5708 • Fax 480.659.4102 • jillhimes@cox.net





NOV 2 0 2024

Affidavit of Public Notification

I, **David Williams**, of 15944 W. Cameron Drive, Surprise, Arizona 85379, hereby affirm the following under oath:

- 1. I affirm that, in compliance with ARS § 27-1271(B)(13), I undertook the necessary public notification procedures outlined in the references Arizona State Statutes, based on address and owner data obtained from the Mohave County, Arizona Assessor's Website as of November 17, 2024 related to the project located at parcel 215-25-006.
- 2. On November 17, 2024, I sent out a public notification mailing in accordance with the statute via a mail provider (click2mail), which included:
 - Notification to all properties within a 1/2-mile radius of the site, measured from the perimeter of the property, as per the statutory requirements.
 - Mailing was done via first class mail.
 - A notification card addressed to W3 Planning and Research, LLC, was also sent to the address listed above to verify the successful completion of the mailing.
 - A webpage was created and published containing the reclamation plan and other details as indicated on the mailing notification.
 - The address is www.w3planning.org/conroc-ready-mix
- 3. This notification mailing included the required details, including contact information for W3 Planning and Research, LLC., designated as the point of contact for any questions related to the reclamation plan.
- 4. A copy of the notification card is included in this affidavit.

I affirm, under penalty of perjury, that the above statements are true and correct to the best of my knowledge.

Dated: November 18, 2024

David Williams

Page 1 of 2

Land Planning, Zoning, Permitting and Due Diligence Solutions 15944 W. Cameron Drive, Surprise, AZ 85379-8751 928-830-0217 David@w3planning.org



NOV 2 0 2024

Subscribed and sworn to (or affirmed) before me on this $\frac{\cancel{B}}{\cancel{B}}$ day of $\cancel{NOVEmb9L}$, 2024.
) ss COUNTY OF MARICOPA)
On this
Notary Public Mary Max Date Commission Expires 04/06/2028
MARTY J MAK! Notary Public - Arizona Maricopa County Commission # 665193 My Comm. Expires Apr 6, 2028
Attachment: Notice of Public Outreach Card
Page 2 of 2
Land Planning, Zoning, Permitting and Due Diligence Solutions 15944 W. Cameron Drive, Surprise, AZ 85379-8751 928-830-0217 David@w3planning.org

Site Location:
Parcel # 215-25-006
Approx 5 miles SW of Kingman off of Ramon and Ramada, about 1/4 mile north of Oatman Highway

Case Name: ConRoc Ready Mix, LLC.

Comments due no later than December 20, 2024



Notice of Public Outreach – Mine Reclamation Plan

Dear Property Owner:

This notice is to inform you related to the review and consideration of a mine reclamation and closure plan for a proposed aggregate mine on a 39.42 acre site located at the referenced location in accordance with Arizona State Law. The reclamation plan helps guide how the mine will be closed and reclaimed when the site is no longer feasible for mining aggregate and is a requirement of State Law.

We are seeking technical comments on the proposed plan. Materials and more information on the proposed plan can be found at the web address below or by requesting a copy from the Arizona State Mine Inspector.

www.w3planning.org/conroc-ready-mix

Questions or to provide comments?

David Williams

David@w3planning.org 928-830-0217



STATE MINE INSPECTOR NOV 2 0 2024

XX->

Mr. David Williams W3 Planning and Research, LLC 15944 W. Cameron Drive Surprise, AZ 85379

NOV 2 0 2024

RECLAMATION AND CLOSURE PLAN

CONROC READY MIX, LLC
RAMON MATERIAL SOURCE

SUBMITTED TO THE STATE MINE
INSPECTOR'S OFFICE FOR REVIEW AND
APPROVAL IN ACCORDANCE WITH
ARIZONA REVISED STATUTE
TITLE 27 - CHAPTER 6
STATE MINE INSPECTOR AGGREGATE
MINED LAND RECLAMATION

NOVEMBER 2024



TABLE OF CONTENTS

Section	Page
1.0 ADMINISTRATIVE INFORMATION	1
2.0 INTRODUCTION	2
2.1 Purpose and Scope	2
2.2 Reclamation Statement of Responsibility	2
2.3 Reclamation Approach	2
2.4 Current Ownership and Land Use Included in the Aggregate I	Mining Unit 3
2.5 Proposed Post-aggregate Mining Land Use	3
2.6 Description of the Aggregate Mining Unit and Proposed Surfa	ce Disturbances
2.7 Existing and Proposed Final Topography	2
2.8 A Narrative Description of Roads	2
2.9 Acreage Affected by Each Type of Surface Disturbance	5
2.9.1 Mining Area	5
2.9.2 Processing	5
2.9.5 Access Roads	5
3.0 RECLAMATION	6
3.1 Equipment and Structure Removal	Ć
3.2 Roads Power Lines, Waterlines and Fences	(
3.3 Area Preparation	Ć
3.4 Slope Stabilization	Ć
3.5 Soil Conservation	Ć
3.6 Revegetation	G
3.7 The Proposed Reclamation Measures to Achieve Post Mine La	and Use and
Public Safety	7
3.8 Timeline and Phasing of Reclamation	7
3.9 Reclamation Costs – Financial Assurance	7
4.0 MINE CLOSURE	8
4.1 Mining Areas	8
4.2 Processing and Other Areas	8
4.3 Personnel	8
4.4 Monitoring	8

i

TABLE OF CONTENTS (CONCLUDED)

Section		Page
TABLES		
Table 1 Table 2	Existing Surface Disturbance Proposed Final Surface Disturbance	3 4
FIGURE	S	
Figure 1 Figure 2 Figure 3 Figure 4 Figure 5	State Map Project Vicinity Map Existing Conditions Proposed Conditions Reclamation and Post-Mining Land Use Map "Open Space"	
APPENI	DICES	

Appendix 1 Reclamation Cost Estimate

ii



1.0 ADMINISTRATIVE INFORMATION

Company: ConRoc Ready Mix, LLC

Dale Bowles Contact:

ConRoc Ready Mix, LLC

2463 Oatman Rd

Golden Valley, AZ 86413

dale.bowles@conrocreadymix.com

Dale Bowles Applicant:

ConRoc Ready Mix, LLC

2463 Oatman Rd Golden Valley, AZ 86413 dale.bowles@conrocreadymix.com

Permit

Technical Consultant:

Jill Himes, Himes Consulting LLC 3301West Genoa Way Chandler, AZ 85226 (480) 899-5708 (602) 499-9253 (cell) jillhimes@cox.net

Landowner:

Tiltcomm Properties, LLC 4480 Rivera Ridge Ave. Las Vegas, NV 89115

Parcel No: 215-25-006

Operator: ConRoc Ready Mix, LLC

2.0 INTRODUCTION

2.1 PURPOSE AND SCOPE

ConRoc Ready Mix, LLC proposes to conduct aggregate mining and processing at their property southwest of Kingman in Mohave County, Arizona. The Ramon Material Source is located within Section 32 in Township 20 North, Range 20 West, Gila and Salt River Meridian.

The purpose of this Mine Reclamation and Closure Plan (MRCP) is to present the details of rehabilitation of the Ramon Material Source in Mohave County, Arizona concurrent with or after mining operations have ceased in accordance with the Arizona Aggregate Mined Lands Act (AAMLRA) (Arizona Revised Statutes[A.R.S.] §27-1201 as authorized by A.R.S. § 27-1204. This plan has been developed pursuant to the format and content prescribed in the Arizona Aggregate Mined Lands Reclamation Rules (Arizona Administrative Code {A.A.C}, R11-3-101, et seq.). The MRCP addresses environmental, technical and operational issues that are identified in those documents.

2.2 RECLAMATION STATEMENT OF RESPONSIBILITY

ConRoc Ready Mix, LLC assumes responsibility for the reclamation of surface disturbances that are attributable to the aggregate mining unit consistent with A.R.S §. 27-1201 and A.C.C. R11-3-501 pursuant to that chapter. All areas that have been disturbed at the site will be reclaimed to a safe and stable condition when mine operations conclude.

Signature Date

Title

2.3 RECLAMATION APPROACH

ConRoc Ready Mix, LLC will reclaim areas surrounding and within the excavated areas necessary to accomplish the post-mining land use of open space. The goals of the mine plan and reclamation measures are to provide for a safe, stable, and sustainable site once mining has ceased. Reclamation will take place concurrently to the degree possible, but no later than the cessation of mining activities.

•

2.4 CURRENT OWNERSHIP AND LAND USE INCLUDED IN THE AGGREGATE MINING UNIT

ConRoc Ready Mix, LLC is planning to conduct aggregate mining and processing operations for commercial use at the Ramon Material Source. The site includes approximately 39.4 acres, as shown in Table 1 below, and in Figure 3. The extraction/processing operation consists of mining to remove aggregate material as described in A.R.S. § 27-441. At the Ramon Material Source, the process includes the use of a screen, crusher, and other mobile equipment for the support of production, and other construction material related operations. Proposed operations would include excavation, screening, crushing, stockpiling, loading, and hauling. Existing access is from Ramon Drive to the north. Current land use onsite consists of grazing and open space. ConRoc Ready Mix, LLC has estimated the removal of up to 210,000 cubic yards over a period of 5 years.

Vegetation communities in the project vicinity are Mohave Desertscrub described by Brown (1994). The majority of the vegetation onsite is very sparse and dominated by creosotebush (Larrea tridentata). Vegetation observed also includes brittlebush (Encelia farinosa), catclaw acacia (Acacia greggii), white ratany (Krameria grayi), white bursage (Ambrosia dumosa), branched pencil cholla (Cylindropuntia ramosissima), and Meditteranean grass (Schismus sp.). The site occurs within the Arizona Game and Fish Department (AGFD) Game Management Unit 15D. This unit is managed for bighorn sheep (Ovis canadensis), mule deer (Odocoileus hemionus), dove (Zenaida sp. and Columbina sp.), quail (Callipepla gambelii), and waterfowl. Wildlife and/or wildlife sign observed in the project vicinity includes desert woodrat (Neotoma lepida), desert cottontail (Sylvilagus auduboni), mourning dove (Zenaida macroura), and lesser nighthawk (Chordeiles acutipennis).

Table 1
Existing Surface Disturbance

Feature	Acres	
Access Road & Disturbed Area	1.2	
Undisturbed	38.2	
Total	39.4	

2.5 PROPOSED POST-AGGREGATE MINING LAND USE

Proposed post-aggregate mining land use of the site is open space. Current nearby use is open space and residential.

3

2.6 DESCRIPTION OF THE AGGREGATE MINING UNIT AND PROPOSED SURFACE DISTURBANCES

Proposed surface disturbances include aggregate mining in the southeast portion of the site, and processing in the northeast portion of the site. The western half of the site will remain undisturbed, for a final disturbance of approximately 18.1 acres, as shown in Figure 4. Depth of mining will be approximately 20 feet. Slopes 3:1 (horizontal: vertical) (H:V) or flatter are incorporated into the mining plan. The processing area, located in the northeast corner, includes a crusher, screen, stockpiles, and an office trailer. Proposed surface disturbances are shown in Table 2 below. The closest off-site residential structure is located 1,085 feet (ft) to the southeast of the nearest proposed excavation area.

Table 2
Proposed Final Surface Disturbance

Feature	Acres
Access Road	0.6
Mining Area	13.0
Processing Area	4.5
Undisturbed	21.3
Total	39.4

2.7 EXISTING AND PROPOSED FINAL TOPOGRAPHY

Existing topography and survey information is provided in Figure 3 attached. Existing elevations range are relatively flat from approximately 2,310 ft above mean sea level in the northeast corner of the property to approximately 2,296 ft above mean sea level (msl) in the southwest corner of the property. Proposed final elevations are shown in Figure 4 attached. Proposed final topography of the slopes will have a 3:1 (H:V) slope or flatter to provide a safe slope at the end of mine life.

2.8 A NARRATIVE DESCRIPTION OF ROADS

Outside of the parcel, Ramon Drive provides the existing access, as shown in Figures 3 and 4. One internal access road occurs from Ramon Drive to the interior of the parcel.

t .

2.9 ACREAGE AFFECTED BY EACH TYPE OF SURFACE DISTURBANCE

Area Descriptions:

2.9.1 Mining Area

Aggregate mining at this site would impact approximately 13 acres of largely undisturbed areas. Mining depth will be approximately 20 ft. Slopes are planned at a maximum of 3:1 (H:V) or flatter. Final build-out is shown in Figure 4.

2.9.2 Processing Area

The processing area is located in the northeast portion of the parcel. The processing area includes a crusher, a screen plant, stockpiles, equipment, and an office trailer.

2.9.3 Access Roads

The existing off-site access road, Ramon Drive, will not change. Temporary internal access roads may be used over time as mining advances. The existing access road is shown in Figures 3 and 4.

5



3.0 RECLAMATION

3.1 EQUIPMENT AND STRUCTURE REMOVAL

All equipment on this site is mobile and can be re-located at will throughout the mining process. All mobile equipment will be removed from the site. There are no buildings or structures proposed to be located on the site.

3.2 ROADS, POWER LINES, WATERLINES AND FENCES

All disturbed areas, including internal access roads within the mining and processing areas will be scarified, as shown in Figure 5. There are no powerlines that occur within the site. There are no waterlines within the site. Mobile generators will be used on an as-needed basis for the mining equipment which will be removed post-mining. The site is currently gated and partially fenced along Ramon Drive to limit entry. As no hazardous conditions will remain at the end of reclamation, additional fencing is not proposed per landowner request.

3.3 AREA PREPARATION

Post-mining, the disturbed portions of the site interior will be re-graded and scarified to promote natural revegetation, as shown in Figure 5.

3.4 SLOPE STABILIZATION

Mining incorporates 3:1 (H:V) slopes or flatter to result in stability for the area. No additional physical stabilization will be necessary after mining.

3.5 SOIL CONSERVATION

Natural revegetation on previously disturbed areas in the vicinity has been previously successful. Natural revegetation of the disturbed areas is therefore reasonably expected to be successful without soil amendments.

3.6 REVEGETATION

To promote natural revegetation, scarification will be conducted within the disturbed areas to support the open space land use of the site. Since these areas are not proposed to support grazing, fish or wildlife habitat, forestry or recreation post-mining land uses, proposed measures to encourage fish and wildlife habitat are not required to be described further in accordance with A.R.S. §27-1271 (B)(9d).

6

3.7 THE PROPOSED RECLAMATION MEASURES TO ACHIEVE POST MINE LAND USE AND PUBLIC SAFETY

- A. What measures will restrict public access to pits or other hazardous surface features? As the mined slopes are proposed at 3:1 (H:V) or flatter, no hazardous surface features are anticipated to remain after reclamation. Additional fencing is not proposed per landowner request. In addition, all scrap metal, wood, trash and other debris that pose a threat to public safety or create a public nuisance will be removed.
- B. What measures will be taken to address erosion control and stability?

 Site-specific grading will be conducted, as necessary, to address erosion. No permanent piles of mined material or overburden will remain. Slope stability at a 3:1 (H:V) slope or flatter is incorporated into the mining plan.
- C. What measures will be taken to address revegetation, conservation, and the care and monitoring of revegetated areas?
 - Scarification would promote natural revegetation which occurs in the region. As revegetation is not proposed, monitoring of revegetated areas is not required.

3.8 TIMELINE AND PHASING OF RECLAMATION

Mining will begin immediately upon approval, anticipated in late 2024. In accordance with A.R.S. § 27-926, reclamation & monitoring will be completed within one year of cessation of mining. Proposed tentative schedule includes:

- Mining operations are anticipated to continue for 5 years until 2030.
- Reclamation on the processing and related areas will commence immediately upon completion of mining operations and is estimated to be completed within one year (estimated 2031).
- Reclamation includes equipment removal, processing area cleanup, grading, scarification
 to promote natural revegetation, and annual monitoring (trash removal, natural
 revegetation monitoring).
- Reclamation will be deemed complete once the reclaimed surfaces have been regraded to a safe and stable condition, scarification has been conducted, and ASMI verifies that the owner or operator has fulfilled the requirements of the approved reclamation plan.

3.9 RECLAMATION COSTS - FINANCIAL ASSURANCE

All reclamation costs will be wholly born by the applicant. Financial surety will be obtained by bonding.

4.0 MINE CLOSURE

4.1 MINING AREAS

Reclamation of the mining area will commence immediately upon closure of mining operations. There will be no substantial period between operation and reclamation.

4.2 PROCESSING AND OTHER AREAS

Stockpile areas will be removed by the end of mine life. Reclamation will commence immediately upon completion of mining operations. There will be no substantial period between operation and reclamation.

4.3 PERSONNEL

Personnel employed at this site will be re-assigned to other job sites if possible or assigned to assist with the reclamation process and then re-assigned.

4.4 MONITORING

The closure of operations at this site will be monitored in accordance with the approved conditions of this plan in accordance with the Arizona State Mine Inspector's Office. During reclamation, monitoring will occur annually to remove trash and conduct a general inspection.

8




Figure 1. State Map. Ramon Material Source. Mohave County, AZ.








Figure Z Ramon Mohav

2. Project Vicinity Map. n Material Source.	0 1 mile	*
ve County, Az	Base Map: USGS Topographic Map: Kingman SW, AZ	£.









APPENDIX 1 RECLAMATION COST ESTIMATE

,			

Reclamation Cost Estimate

Reclamation Cost Estimate Methodology

Unit costs developed for this Reclamation & Closure Plan are based on ADOT-approved estimating sources. Equipment unit costs are based on Equipment Watch Rental Rate Blue Book, Davis Bacon published labor rates, along with estimated productivity for material movement based primarily on the Caterpillar Handbook (2022). ADOT uses this format and protocol for ADOT contractors.

Material volumes and surface areas have been calculated using the topographic base maps provided and plan projection of outlined areas. The pit contours are all 3:1 or flatter. Final reclamation will consist of scarifying all compacted traffic areas other than the access roads which will remain. No fuel will be stored onsite due to shallow groundwater table.

Administrative costs were based on industry-standardized contingency, professional fees to annually inspect and report, as well as indirect costs, contractor profit, and contract administration costs.

Reclamation Cost Estimate Summary

Estimated costs developed for this Reclamation Plan are summarized below. Detailed breakdown for each reclamation activity follows.

Reclamation Activity	Units	Cost per Unit	Costs (\$)
Direct Costs			
Scarification	18.1 acres	190.81	3,453.67
Trash Disposal	1	570.04	570.04
Subtotal			4,023.71
Administrative Costs			
Administrative Contingency		10%	402.37
Inspect & Report	1 year	3,000	3,000.00
Indirect Costs		2%	80.47
Contractor Profit		10%	402.37
Contract Administration		10%	402.37
Subtotal			4,287.58
Total			8,311.29

Task 1 - Equipment Watch - Rate for D5 Dozer

DATE: 11/12/2024

TASK: Ripping/scarifying compacted surfaces – 39.4 acres at 4 acres per hour

\$1,800

UNITS: acres

QUANT 18.1 acres 1 days (4.5 hours) TOTAL \$1,035/day D5 dozer 160-189 hp \$1035.00 \$39/day Ripper \$39.00 Estimated operating costs \$61.26/hr \$490.08 Total O & O cost \$1,564.08 Transport To & From jobsite \$900 ea. way - Kingman local

Labor from Davis Bacon rates - Mohave County ADOT job \$17.26 per hour 4.5 hrs Base rate \$77.67 4.5 hrs Fringes \$2.65 per hour \$11.92

No O/T expected hrs

1 day Duration Task Total \$3,453.67

Price per acre for total \$190.81 18.1 acres



www.equipmentwatch.com

All prices shown in US dollars (\$)

Rental	Rate	Blue	Books

June 13, 2024

Caterpillar D5 Standard Crewler Dozers

Size Class: 160 - 180 hp Weight: N/A Configuration for DS

Dozer Type Operator Protection VPAT IROPS

Horsepawer Power Mode

170,0 hp Diesel

Blue Book Rates

** FHWA Rate is equal to the monthly ownership cost divided by 176 plus the hourly estimated operating cost.

	Ownership Coate				Estimated Operating Costs	PHWA Rate ^{ns}
	Monthly	Weekly	Daily	Hourly	Hourly	Hourty
Published Rates	USD \$14,795.00	USD \$4,145,00	USD \$1,035.00	USD \$155.00	USD \$61.26	USD 8145.32
Adjustments						
Region (100%)	· ·		e .	363		
Model Year (2024: 100%)	*	3 * 2		(6)	1 1	
Adjusted Hourly Ownership Cost (100%)	*	141	28	3	1	
Hourly Operating Cost (100%)						
Total:	USD \$14,785.00	USD \$4,145.00	USD \$1,035.00	USD \$155,00	USD \$61.26	USD \$148.32

Non-Active Use Rates	Hourly
Standby Rate	USD 844.5
idling Rate	USD \$108.2

Rate Element Allocation

Element	Percentage	Value
Depreciation (ownership)	30%	USD \$4,438.50/mg
Overhaul (ownership)	4796	USD \$6,953,65/mc
CFC (ownership)	1394	USD \$1,923.35/mg
Indirect (ownership)	10%	USD \$1,479,50/mg
Fuel (operating) @ USD 4.03	39.55%	USD \$24,23/hr

Revised Date: 2nd quarter 2024

These are the most accurate rates for the selected Revision Date(s). However, due to more trequent online updates, these rates may not match Rental Rate Blue Book® Print. Visit the Cost Recovery Product Guide on our Help page for more information.



www.equipmentwatch.com

All prices shown in US dollars (\$)

Rental Rate Blue Book®

June 13, 2024

Miscellaneous MSR-84H Crawler Tractor Multi-Shank Rippers

Size Class: To 200 hp Weight: 1044 lbs



Configuration for MSR-84H

Horsepower 84.0 hp Ripper Type Radial Number Of Shanks Power Mode 3.0 Hydraulic

Blue Book Rates

FHWA Rate is equal to the monthly ownership cost divided by 176 plus the hourly estimated operating cost.

	Ownership Costs			Estimated Operating Costs	FHWA Rate ^{rs}	
	Monthly	Weekly	Daily	Hourly	Hourly	Hourly
Published Rates	USD \$560.00	USD \$155.00	USD \$39.00	USD \$6.00	USD \$2,42	USD \$5.60
Adjustments					1	
Region (100%)	3*0				1	
Model Year (2024: 100%)		•	•	2		
Adjusted Hourly Ownership Cost (100%)	19	•	∞	(90)		
Hourly Operating Cost (100%)						
Total:	UBD \$560.00	USD \$155.00	USD \$39.00	USD 96.00	USD 82,42	USD \$5.60

Non-Active Use Rates	Hourly
Standby Rate	USD \$2.32
iding Rate	USD \$3.18

Rate Element Allocation

Element	Percentage	Value
Depreciation (ownership)	51%	USD \$285.60/mo
Overhaul (ownership)	27%	USD \$151.20/mo
CFC (ownership)	10%	USD \$56.00/mo
indirect (ownership)	12%	USD \$67.20/mo

Fuel cost data is not available for these rates.

Revised Date: 2nd quarter 2024

These are the most accurate rates for the selected Revision Date(s). However, due to more frequent online updates, these rates may not match Rental Rate Blue Books Print. Visit the Cost Recovery Product Guide on our Help page for more information.

The equipment represented in this report has been exclusively prepared for Bronson Barson (bbarson@fisherind.com)

Task 2 - Equipment Watch - Rate for Truck with Trailer

DATE: 11/12/2024 TASK: Miscellaneous Trash Removal – 1 pickup truck with trailer UNITS: 1 load QUANT 1 load 0.5 days (4 hours) TOTAL						
Truck Estimated op Trailer Estimated op Total O & O c	erating costs	\$14/hour \$25.83/hr \$34/hour \$7.52/hour	\$196 \$103.32 \$136 \$30.08 \$465.40			
Labor from D	avis Bacon rates	– Mohave County ADO	T iob			
4 hrs	Base rate		\$ 69.04			
4 hrs	Fringes	\$2.65 per hour	\$ 10.60			
0 hrs	hrs No O/T expected					
Trash disposal fee (Yuma County landfill): 1 load \$25						
Duration Task Total	0.5 days \$ 570.04					
Price per acre	\$570.04					