#### **STATE MINE INSPECTOR**

NOV 1 3 2024



November 11, 2024 Reference No. 24-07

Arizona State Mine Inspector Amanda Lothner, Reclamation Specialist 1700 W. Washington, Suite 403 Phoenix, AZ 85007-2805

Re: Reclamation Plan JDI Pit

Dear Ms. Lothner:


Enclosed please find one original and three copies of the Reclamation and Closure Plan for JDI Enterprises, LLC's JDI Pit located east of Kingman in Mohave County, AZ. Also enclosed is the \$3,800 application fee. Public notice has also been conducted as required as outlined in the Affidavit attached. Please feel free to contact me in regards to any questions.

Sincerely,

HIMES CONSULTING, LLC

Jill A. Himes

Cc: Ben Overson, JDI Enterprises, LLC



<sup>3301</sup> W. Genoa Way • Chandler, AZ 85226 • Phone 480.899.5708 • Fax 480.659.4102 • jillhimes@cox.net



#### **STATE MINE INSPECTOR**

NOV 1 3 2024

#### Affidavit of Public Notification

I, David Williams, of 15944 W. Cameron Drive, Surprise, Arizona 85379, hereby affirm the following under

- 1. I affirm that, in compliance with ARS § 27-1271(B)(13), I undertook the necessary public notification procedures outlined in the references Arizona State Statutes, based on address and owner data obtained from the Mohave County, Arizona Assessor's Website as of October 30, 2024.
- 2. On October 31, 2024, I sent out a public notification mailing in accordance with the statute, which included:
  - o Notification to all properties within a 1/2-mile radius of the site, measured from the perimeter of the property, as per the statutory requirements.
  - o A notification card addressed to W3 Planning and Research, LLC, was also sent to the address listed above to verify the successful completion of the mailing.
    - Notification card was received by USPS mail on November 1, 2024.
  - o A webpage was created and published containing the reclamation plan and other details as indicated on the mailing notification. The address is www.w3planning.org/kingman
- 3. This notification mailing included the required details, including contact information for W3 Planning and Research, LLC., designated as the point of contact for any questions related to the reclamation plan.
- 4. A copy of the notification card is included in this affidavit.

I affirm, under penalty of perjury, that the above statements are true and correct to the best of my knowledge. Dated: November 8, 2024 David Williams Subscribed and sworn to (or affirmed) before me on this & day of Worm of 2024. MOLLY K PALO Notary Public - Arizona **COUNTY OF MARICOPA** Maricopa County Commission # 657255 My Comm. Expires Nov 28, 2027 before me the undersigned day of Notary Public personally appeared.\_ executed the foregoing instrument for the purpose therein contained. In witness whereof, I hereby set my hand and official seal, Date Commission Expires

Land Planning, Zoning, Permitting and Due Diligence Solutions 15944 W. Cameron Drive, Surprise, AZ 85379-8751 928-830-0217 David@w3planning.org

# Notice of Public Outreach - Mine Reclamation Plan

Site Location:
2674 N. Roundup Ave, Kingman, AZ
Parcel # 354-30-025
(Approx 1,000 feet east of Love's at DW Ranch
Road on the north side of I-40)

<u>Case Name:</u> JDI Enterprises – Mining Reclamation Plan

Comments due no later than November  $30^{\text{th}}, 2024$ 

Dear Property Owner:

This notice is to inform you that the owners of the existing 48.4 acre aggregate mine located on the north side of I-40 and DW Ranch Road, east of the Love's Truck Stop are applying for State approval of a mining reclamation plan. The reclamation plan helps guide how the mine will be closed and reclaimed when the site is no longer feasible for mining aggregate and is a requirement of State Law.

We are seeking technical comments on the proposed plan can be found at the web address below or by requesting a copy from the Arizona State Mine Inspector.

# www.w3planning.org/kingman

Questions or to provide comments?

David Williams

David@w3planning.org 928-830-0217

## RECLAMATION AND CLOSURE PLAN

JDI ENTERPRISES, LLC
JDI PIT

SUBMITTED TO THE STATE MINE
INSPECTOR'S OFFICE FOR REVIEW AND
APPROVAL IN ACCORDANCE WITH
ARIZONA REVISED STATUTE
TITLE 27 - CHAPTER 6
STATE MINE INSPECTOR AGGREGATE
MINED LAND RECLAMATION

**OCTOBER 2024** 



#### TABLE OF CONTENTS

Section	<u>Pa</u>	ge
1.0 ADMINISTRATIVE INFORM	IATION	1
2.0 INTRODUCTION		2
2.1 Purpose and Scope		2
2.2 Reclamation Statement of Res	ponsibility	2
2.3 Reclamation Approach	. ,	2
	Use Included in the Aggregate Mining Unit	3
2.5 Proposed Post-aggregate Mini		3
2.6 Description of the Aggregate	Mining Unit and Proposed Surface Disturbances	4
2.7 Existing and Proposed Final T		4
2.8 A Narrative Description of Ro	pads	4
2.9 Acreage Affected by Each Typ	oe of Surface Disturbance	5
2.9.1 Mining Area		5
2.9.2 Processing		5
2.9.5 Access Roads		
3.0 RECLAMATION		6
3.1 Equipment and Structure Rem	noval	Ć
3.2 Roads Power Lines, Waterline		6
3.3 Area Preparation		(
3.4 Slope Stabilization		6
3.5 Soil Conservation		6
3.6 Revegetation		6
3.7 The Proposed Reclamation M	easures to Achieve Post Mine Land Use and	
Public Safety		7
3.8 Timeline and Phasing of Recla		7
3.9 Reclamation Costs – Financial	Assurance	7
4.0 MINE CLOSURE		8
4.1 Mining Areas		8
4.2 Processing and Other Areas		8
4.3 Personnel		8
4.4 Monitoring		8

#### TABLE OF CONTENTS (CONCLUDED)

Section		<u>Page</u>
TABLES		
Table 1 Table 2	Existing Surface Disturbance Proposed Final Surface Disturbance	3 4
FIGURE	s	
Figure 1 Figure 2 Figure 3 Figure 4 Figure 5	State Map Project Vicinity Map Existing Conditions Proposed Conditions Reclamation and Post-Mining Land Use Map "Open Space"	
APPEND	DICES	

Appendix 1 Reclamation Cost Estimate

ii

#### 1.0 ADMINISTRATIVE INFORMATION

Company:

JDI Enterprises, LLC

Contact:

Ben Overson

JDI Enterprises, LLC 2674 Roundup Ave Kingman, AZ, 86401 (Office) (928) 681-4610 oversonben@yahoo.com

Applicant:

Ben Overson

JDI Enterprises, LLC 2674 Roundup Ave Kingman, AZ, 86401 (Office) (928) 681-4610 oversonben@yahoo.com

Permit

Jill Himes, Himes Consulting LLC 3301West Genoa Way

Technical Consultant:

Chandler, AZ 85226

(480) 899-5708 (602) 499-9253 (cell) jillhimes@cox.net

Landowner:

Overson, Ben & Sara

Parcel No:

354-30-025

Operator:

JDI Enterprises, LLC

#### 2.0 INTRODUCTION

#### 2.1 PURPOSE AND SCOPE

JDI Enterprises, LLC proposes to continue to conduct aggregate mining and processing at their property east of Kingman in Mohave County, Arizona. The JDI Pit is located within Section 17 in Township 21 North, Range 15 West, Gila and Salt River Meridian.

The purpose of this Mine Reclamation and Closure Plan (MRCP) is to present the details of rehabilitation of the JDI Pit in Mohave County, Arizona concurrent with or after mining operations have ceased in accordance with the Arizona Aggregate Mined Lands Act (AAMLRA) (Arizona Revised Statutes[A.R.S.] § 27-1201) as authorized by A.R.S. § 27-1204. This plan has been developed pursuant to the format and content prescribed in the Arizona Aggregate Mined Lands Reclamation Rules (Arizona Administrative Code {A.A.C}, R11-3-101, et seq.). The MRCP addresses environmental, technical and operational issues that are identified in those documents.

#### 2.2 RECLAMATION STATEMENT OF RESPONSIBILITY

JDI Enterprises, LLC assumes responsibility for the reclamation of surface disturbances that are attributable to the aggregate mining unit consistent with A.R.S §. 27-1201 and A.C.C. R11-3-501 pursuant to that chapter. All areas that have been disturbed at the site will be reclaimed to a safe and stable condition when mine operations conclude.

Signature

Date

Owner

Title

#### 2.3 RECLAMATION APPROACH

JDI Enterprises, LLC will reclaim areas surrounding and within the excavated areas necessary to accomplish the post-mining land use of open space and residential. The goals of the mine plan and reclamation measures are to provide for a safe, stable, and sustainable site once mining has ceased. Reclamation will take place concurrently to the degree possible, but no later than the cessation of mining activities.

#### 2.4 CURRENT OWNERSHIP AND LAND USE INCLUDED IN THE AGGREGATE MINING UNIT

JDI Enterprises, LLC is planning to continue to conduct aggregate mining and processing operations for commercial use at their existing pit east of Kingman. A portion of the parcel has been mined since 2000 and includes approximately 48.4 acres, as shown in Table 1 below, and in Figure 3. The extraction/processing operation consists of mining to remove aggregate material as described in A.R.S. § 27-441. At the JDI Pit, the process includes the use of a screen, crusher, and other mobile equipment for the support of production, and other construction material related operations. Operations include excavation, screening, crushing, stockpiling, loading, and hauling. Access is from North Roundup Avenue. Land use is currently mining and processing with grazing in the undeveloped portions. A residence also occurs on the parcel. JDI Enterprises, LLC has estimated the removal of up to 316,709 cubic yards over a period of approximately 15 years. The closest off-site residence is located 1,800 feet (ft) to the northwest of the nearest existing excavation area.

The project site is located in an area within the semidesert grassland vegetation community (Brown 1994). Vegetation within the project vicinity is characterized by broom snakeweed (Gutierrezia sarothrae), black-banded rabbitbrush (Chrysothamnus paniculatus), brittlebush (Encelia farinosa), creosotebush (Larrea tridentata), California buckwheat (Eriogonum fasiculatum), desert trumpet (Eriogonum inflatum), Mormon tea (Ephedra sp.), Anderson thornbush (Lycium andersonii), white thorn (Acacia constricta), crucifixion thorn (Castela emoryi), silverleaf nightshade (Solanum elaeagnifolium), rosemary currentrhus (Searsia rosmarinifolia), and underlying grasses. Cacti and succulents observed includes buckhorn cholla (Cylindropuntia echinocarpa), prickly pear cactus (Opuntia engelmannii), whipple cholla (Cylindropuntia whipplei), and banana yucca (Yucca baccata). The site is located with Arizona Game and Fish Department (AGFD)'s Game Management Unit 15B. Species in this unit include antelope, elk, bighorn sheep, mountain lion, mule deer, dove, and quail. Wildlife and/or wildlife sign observed in the project vicinity include common raven (Corvus corax), western meadowlark (Sturnella neglecta), verdin (Auriparus flaviceps), Eurasian collard dove, (Streptopelia decaocto), ladder-backed woodpecker (Dryobates scalaris), Say's phoebe (Sayornis saya), curve-billed thrasher (Toxostoma curvirostre), black-throated sparrow (Amphispiza bilineata), house finch (Haemorhous mexicanus), desert woodrat (Neotoma lepida), desert cottontail (Sylvilagus auduboni), and coyote (Canis latrans).

Table 1
Existing Surface Disturbance

Feature	Acres
Access Road	1.0
Mining & Processing	15.5
Office & Equipment Storage Area	5.0
Undisturbed	26.9
Total	48.4

#### 2.5 PROPOSED POST-AGGREGATE MINING LAND USE

Proposed post-aggregate mining land use of the site is open space and residential. The only planned residential is to retain the existing residence on the property. Current nearby use is open space, commercial, and residential.

#### 2.6 DESCRIPTION OF THE AGGREGATE MINING UNIT AND PROPOSED SURFACE DISTURBANCES

The site includes an existing pit and processing area that will be expanded to the south to a final disturbance of approximately 23.1 acres, as shown in Figure 4. Slopes 3:1 (horizontal: vertical) (H:V) or flatter are incorporated into the mining plan. Material removal will be to a depth of up to 32 feet below ground surface. The processing area, located within mining area, includes a crusher, screen, and stockpiles. A residence, office trailer, and equipment storage occurs in the northwestern portion of the site. Proposed surface disturbances are shown in Table 2 below.

Table 2
Proposed Final Surface Disturbance

Feature	Acres
Mining & Processing Area	23.4
Office & Equipment Storage	5.0
Access Road	1.0
Undisturbed	19.0
Total	48.4

#### 2.7 EXISTING AND PROPOSED FINAL TOPOGRAPHY

Existing topography and survey information is provided in Figure 3 attached. Existing elevations range from approximately 4,120 feet (ft) above mean sea level (msl) in the southeastern portion of the property to 4,060 ft above msl in the northwestern portion of the property. The mining area is located within and adjacent to a dry wash. Proposed final elevations are shown in Figure 4 attached. Proposed final topography of the slopes will have a 3:1 (H:V) slope or flatter to provide a safe slope at the end of mine life.

#### 2.8 A NARRATIVE DESCRIPTION OF ROADS

The parcel includes existing access west to North Roundup Ave, as shown in Figures 3 and 4. Temporary internal access roads may be used over time as mining advances.

#### 2.9 ACREAGE AFFECTED BY EACH TYPE OF SURFACE DISTURBANCE

#### Area Descriptions:

#### 2.9.1 Mining & Processing Area

Aggregate mining at this site would expand approximately 7.9 acres to the south adjacent to the existing dry wash. Processing is included within previously mined areas and includes a crusher, a screen, and stockpiles. Slopes are planned at a maximum of 3:1 (H:V) or flatter. Final build-out is shown in Figure 4.

#### 2.9.2 Office & Equipment Storage Area

An office trailer, residence, and equipment storage area occurs in the northwestern portion of the site. This area is not proposed to change in size.

#### 2.9.3 Access Roads

The parcel includes existing access west to N Roundup Avenue, as shown in Figures 3 and 4. Temporary internal access roads may be used over time as mining advances. Access to the property is gated.



#### 3.0 RECLAMATION

#### 3.1 EQUIPMENT AND STRUCTURE REMOVAL

All mining equipment onsite is mobile and can be re-located at will throughout the mining process. All mobile mining equipment will be removed from the site. An on-site residence occurs on site which will be retained post-mining for use by the owner.

#### 3.2 ROADS, POWER LINES, WATERLINES AND FENCES

The existing access road entrance to N Roundup Ave will be retained for use to enter the property by the landowner. Any internal access within the mining and processing areas, as shown in Figure 5, will be reclaimed. The existing powerline to the residence will be retained; however, there are no other powerlines within the site. Mobile generators are used on an as-needed basis for the mining equipment which will be removed post-mining. The existing waterline to the residence will be retained; however, there are no other waterlines within the site. The site is currently fenced and gated.

#### 3.3 AREA PREPARATION

Post-mining, the disturbed portions of the site interior will be re-graded and scarified to promote natural revegetation, as shown in Figure 5.

#### 3.4 SLOPE STABILIZATION

Mining incorporates 3:1 (H:V) slopes or flatter to result in stability for the area. No additional physical stabilization will be necessary after mining.

#### 3.5 SOIL CONSERVATION

Natural revegetation on previously disturbed areas in the vicinity has been previously successful. Natural revegetation of the disturbed areas is therefore reasonably expected to be successful without soil amendments. Little topsoil occurs within areas proposed for mining adjacent to the dry wash.

#### 3.6 REVEGETATION

To promote natural revegetation, scarification will be conducted within the disturbed areas to support the open space land use of the site. Since these areas are not proposed to support grazing, fish or wildlife habitat, forestry or recreation post-mining land uses, proposed measures to encourage fish and wildlife habitat are not required to be described further in accordance with A.R.S. §27-1271 (B)(9d).

#### 3.7 THE PROPOSED RECLAMATION MEASURES TO ACHIEVE POST MINE LAND USE AND PUBLIC SAFETY

- A. What measures will restrict public access to pits or other hazardous surface features? As the mined slopes are proposed at 3:1 (H:V) or flatter, no hazardous surface features are anticipated to remain after reclamation. The site is currently fenced and gated. In addition, all scrap metal, wood, trash and other debris that pose a threat to public safety or create a public nuisance will be removed.
- B. What measures will be taken to address erosion control and stability?

  Site-specific grading shall be conducted, as necessary, to address erosion. No permanent piles of mined material or overburden will remain. Slope stability at a 3:1 (H:V) slope or flatter is incorporated into the mining plan.
- C. What measures will be taken to address revegetation, conservation, and the care and monitoring of revegetated areas?
  - Scarification would promote natural revegetation which occurs in the region. As revegetation is not proposed, monitoring of revegetated areas is not required.

#### 3.8 TIMELINE AND PHASING OF RECLAMATION

Mining will begin immediately upon approval, anticipated in early 2025. In accordance with A.R.S. § 27-926, reclamation & monitoring will be completed within one year of cessation of mining. Proposed tentative schedule includes:

- Mining operations are anticipated to continue for 15 years until 2040.
- Reclamation will commence immediately upon completion of mining operations and is estimated to be completed within one year (estimated 2041).
- Reclamation includes mining equipment removal, processing area cleanup, grading, scarification to promote natural revegetation, and annual monitoring (trash removal, natural revegetation monitoring).
- Reclamation will be deemed complete once the reclaimed surfaces have been regraded to a safe and stable condition, scarification has been conducted, and ASMI verifies that the owner or operator has fulfilled the requirements of the approved reclamation plan.

#### 3.9 RECLAMATION COSTS - FINANCIAL ASSURANCE

All reclamation costs will be wholly born by the applicant. Financial surety will be obtained by bonding.

#### 4.0 MINE CLOSURE

#### **4.1 MINING AREAS**

Reclamation of the mining area will commence immediately upon closure of mining operations. There will be no substantial period between operation and reclamation.

#### 4.2 PROCESSING AND OTHER AREAS

Overburden and aggregate stockpiles will be removed by the end of mine life. Reclamation will commence immediately upon completion of mining operations. Equipment used for mining operations will be removed from the site. There will be no substantial period between operation and reclamation.

#### **4.3 PERSONNEL**

Personnel employed at this site will be re-assigned to other job sites if possible or assigned to assist with the reclamation process and then re-assigned.

#### 4.4 MONITORING

The closure of operations at this site will be monitored in accordance with the approved conditions of this plan in accordance with the Arizona State Mine Inspector's Office. During reclamation, monitoring will occur annually to remove trash and conduct a general inspection.




Figure 1. State Map. JDI Pit. Mohave County, AZ.






Figure 2. Project Vicinity Map. JDI Pit. Mohave County, AZ.


0 I Mile

Base Maps: USGS 7.5-Minute Quad Map: Rattlesnake Hill AZ.









### APPENDIX 1 RECLAMATION COST ESTIMATE

ļ	

#### **Reclamation Cost Estimate**

#### **Reclamation Cost Estimate Methodology**

Unit costs developed for this Reclamation & Closure Plan are based on ADOT-approved estimating sources. Equipment unit costs are based on Equipment Watch Rental Rate Blue Book, Davis Bacon published labor rates, along with estimated productivity for material movement based primarily on the Caterpillar Handbook (2022). ADOT uses this format and protocol for ADOT contractors.

Material volumes and surface areas have been calculated using the topographic base maps provided and plan projection of outlined areas. The pit contours are all 3:1 or flatter. Final reclamation will consist of scarifying all compacted traffic areas other than the access roads which will remain. No fuel will be stored onsite due to shallow groundwater table.

Administrative costs were based on industry-standardized contingency, professional fees to annually inspect and report, as well as indirect costs, contractor profit, and contract administration costs.

#### **Reclamation Cost Estimate Summary**

Estimated costs developed for this Reclamation Plan are summarized below. Detailed breakdown for each reclamation activity follows.

Reclamation Activity	Units	Cost per Unit	Costs (\$)
Direct Costs			
Scarification	48.4 acres	105.05	5084.42
Trash Disposal	1	570.04	570.04
Subtotal			5,654.46
Administrative Costs			
Administrative Contingency		10%	565.45
Inspect & Report	1 year	3,000	3,000.00
Indirect Costs		2%	113.09
Contractor Profit		10%	565.45
Contract Administration		10%	565.45
Subtotal			4,809.44
Total			10,463.90

Task 1 - Equipment Watch - Rate for D5 Dozer

DATE: 6/12/2024 TASK: Ripping/scarifying com UNITS: acres QUANT 48.4 acres	npacted surfaces – 48.4 a 2 days (22.5 hours)	ocres at 4 acres per hour
D5 dozer 160-189 hp Ripper Estimated operating costs Total O & O cost Transport To & From jobsite	\$1,035/day \$39/day \$61.26/hr	\$2,070 \$78 \$857.64 \$3,005.64
- Kingman local	\$900 ea. way	\$1,800
Labor from Davis Bacon rates -  14 hrs Base rate  14 hrs Fringes  0 hrs No O/T expect	\$17.26 per hour \$2.65 per hour	\$241.64 \$37.10
Duration Task Total	2 days \$5,084.38	
Price per acre for total	48.4 acres	\$105.5



www.equipmentwetch.com

All prices shown in US dollars (\$)

Rental Rate Blue Book®

June 13, 2024

Caterpillar D5 Standard Crawler Oczera

Size Clase: 150 - 150 hp Weight: N/A Configuration for DS

Dozer Type Operator Protection

179.0 lvp Diesei

#### Blue Book Rates

 $^{\prime\prime\prime}$  FHWA Rate is equal to the monthly ownership cost divided by 176 plus the hourly estimated operating cost,

VPAT IROPS

	Ownership Costs				Estimated Operating Coats	PHWA Rate <sup>ra</sup>
	Monthly	Weekly	Celly	Hourly	Hourly	Howly
Published Rates	USO \$14,795.00	USD \$4,145,00	USD \$1,035.00	USD \$155.00	USD \$61.26	USD \$145,32
Adjustments						
Region ( 100%)			6	(2)	1	
Model Year (2024: 100%)		*		002	1	
Adjusted Hourly Ownership Cost (100%)	*	2	21	· ·		
Hourly Operating Cost (100%)					8	
Total:	USD \$14,785.00	USD \$4,145.00	USD \$1,035,00	USD \$155,00	USD \$61.26	USD \$145.32

Non-Active Use Rates	Hourly
Standby Rate	USD \$44.56
Idling Rate	USD \$109.29

#### Rate Element Allocation

Element	Реговида	Value
Depreciation (ownership)	30%	USD \$4,428,50/mp
Overhaul (ownership)	47%	USD \$6,953.65/mg
CFC (ownership)	13%	USD \$1,923.35/mg
Indirect (ownership)	10%	USD \$1,479.50/mo
Fuel (operating) @ USD 4.03	39.55%	USD 824,23/hr

Revised Date: 2nd quarter 2024

These are the most accurate rates for the selected Revision Date(s). However, due to more frequent online updates, these rates may not match Rental Rate Blue Book® Print. Visit the Cost Recovery Product Guide on our Help page for more information.



www.equipmentwatch.com

All prices shown in US dollars (\$)

#### Rental Rate Blue Book®

June 13, 2024

Miscellaneous MSR-84H Crawler Tractor Multi-Shank Rippers

Size Class To 200 hp Weight: 1044 lbs



#### Configuration for MSR-84H

Horsepower Ripper Type 84.0 hp Radial Number Of Shanks Power Mode 3.0 Hydraulid

#### Blue Book Rates

\*\* FHWA Rate is equal to the monthly ownership cost divided by 176 plus the hourly estimated operating cost.

•		Ownership Costs			Estimated Operating Costs	FHWA Return
Published Rates	Monthly USD \$560.00	Weekly USO \$155.00	Daily USD <b>139</b> .00	Hourly USD 95.00	Hourly USD \$2.42	Hourly USD \$5.60
Adjustments						
Region ( 100%)	7.	(#)	•)			
Model Year (2024: 100%)	(*)	1.●/		*		
Adjusted Hourly Ownership Cost (100%)		(a)	*			
Hourly Operating Cost (100%)						80.08
Total:	USD \$560.00	USD \$1\$6.00	USD \$39.00	USD 86.00	USD 82,42	USD \$5.60

Non-Active Use Rates	Hourly
Standby Rate	USD 82.33
Iding Rate	USO \$3.1£

#### **Rate Element Allocation**

Element	Percentage	Value
Depreciation (ownership)	51%	USD \$285.60/mo
Overhaul (ownership)	27%	USD \$151.20/mo
CFC (ownership)	10%	USD \$56,00/mo
Indirect (ownership)	12%	USD \$67,20/mo

Fuel cost data is not available for these rates.

#### Revised Date: 2nd quarter 2024

These are the most accurate rates for the selected Revision Date(s). However, due to more frequent online updates, these rates may not match Rental Rate Silve Books Print. Visit the Cost Recovery Product Guide on our Help page for more information.

The equipment represented in this report has been exclusively prepared for Bronson Barson (bbarson@fisherind.com)

Task 2 - Equipment Watch - Rate for Truck with Trailer

DATE: 6/25/2024 TASK: Miscellaneous Tras UNITS: 1 load QUANT 1 load 0.5	h Removal – 1 pickup truck days (4 hours)	with traile
Truck Estimated operating costs Trailer Estimated operating costs Total O & O cost	\$14/hour \$25.83/hr \$34/hour \$7.52/hour	\$196 \$103.32 \$136 \$30.08 \$465.40
Labor from Davis Bacon rat	es - Yuma County ADOT job	1
4 hrs Base rate	· · · · · · · · · · · · · · · · · · ·	\$ 69.04
4 hrs Fringes	\$2.65 per hour	\$ 10.60
0 hrs No O/T exp	ected	
Trash disposal fee (Yuma Co	\$25	
Duration Task Total		0.5 days \$ 570.04
Price per acre for total	\$570.04	